




Floors are ultimate mood-setters in the home and create not only the foundations of interior design, but the right atmosphere as well. An ambience that reflects the people who live there and their way of life. With its LVT floors, Therdex focuses on ease of use in the form of durable, hard-wearing materials that appeal to people's senses. LVT stands for Luxury Vinyl Tiles, flooring that cannot be distinguished from the real thing despite its artificiality. With their natural and luxurious look and feel, Therdex LVT floors are guaranteed to provide a lifetime of comfort and joy.





CONTENTS

ABOUT THERDEX

- The 5 advantages
- Create and combine
- What is LVT?
- Sustainability
- New in our collection

COLLECTION STRUCTURE

- Basic series
- Regular series
- Tapis series
- Premium series
- Chevron series
- 28 Rustique series
- Original series
- XstraLong series
- Authentic series
- Premier series
- 40 Design series42 Stone series

THERDEX MODULAR

Loose Lay

Rigid Click

COLLECTION LINKS

INSPIRATION

TECHNICAL SPECIFICATIONS

CONTACT



THE **5** ADVANTAGES

LVT floors are widely applicable, long lasting and produce minimal noise. Therdex would gladly help you in making your choice and with the maintenance of your floor.

INDISTINGUISHABLE FROM THE REAL THING

When you choose Therdex, you choose a floor with a natural look. The entire collection is embossed to match. This means that the structure is visible and tangible. This makes the floors indistinguishable from the real thing.

ALWAYS AVAILABLE IN MULTIPLE VARIATIONS

The entire collection is available in multiple variations. Because the designs are available in various sizes, they can be perfectly combined, therefore providing you with exceptional design opportunities.

PHTHALATE FREE THROUGH ORGANIC PLASTICISERS

Therdex uses responsible and biodegradable soybean oil-based plasticizers, whom make the material elastic and flexible. They are harmless to humans and the environment and are also biodegradable. This is important to you, to us and to the environment.

EASY TO MAINTAIN AND STREAK FREE

All Therdex LVT floors consist of four layers. The top layers protect the floor from heavy use, are scratch resistant and prevent streaking. This combination provides an easy-to-maintain floor; simplicity and convenience.


FREE AND NO-OBLIGATION SAMPLE SERVICE


Discover the colours of a Therdex LVT floor and experience its natural feel with our free samples. Samples can be ordered from our website entirely free of charge and without obligation. We are happy to help you make the right choice.

CREATE AND COMBINE


Create endless possibilities with Therdex LVT floors. The format of the herringbone and chevron planks allows for creativity. Finish the room with a border (optional with piping). This finish looks classic and gives an exclusive effect. Combine your own design and identity.

Layout patterns







Block¹




Block²











Herringbone

Double herringbone

XL-herringbone







Chevron

Viennese point

Finishing





Border

Border and piping

WHAT IS LVT?

LVT stands for Luxury Vinyl Tiles. It is a hard and brittle product and is based on petroleum (43%) and salt (57%). Adding plasticizers makes the LVT flexible. It is strong and lightweight. It can also be easily recycled, as it can be processed in many different ways.

Therdex LVT floors have true-to-life patterns and are available in herringbone, long planks, chevron and tiles. All our products consist of 4 layers, namely: the PU layer, the wear layer, the film layer and the LVT backing.

The PU layer gives the plank extra protection and ensures the right mattness of LVT. The wear layer protects the floor from intensive use and makes it scratch-resistant. The film layer is the floor's print. It reveals the colour and structure of the floor. The LVT backing is the lowest part of the floor. This backing provides the strength of the floor and the right sound absorption.



DRYBACK

Dryback LVT is a bonded floor. This bonded floor is sound dampening and very maintenance friendly.

A leveled subfloor is very important for installing a dryback floor. Dryback is suitable for intensive domestic use, but also for project applications.

matt PU coating

Dryback features

no subfloor required

sound reducing

water-resistant

suitable for underfloor heating and cooling

LVT rug

patterned film layer

wear layer

RIGID CLICK

Rigid Click is a smart mounting solution and eliminates the need for glue. The planks or tiles are easily clicked together with a reliable Uniclic click system.

14/0

Rigid Click features

very easy to lay

great ease of use

suitable for intensive use

reduced impact noise

powerful Uniclic system

moisture-resistant

UNICLIC =


matt PU coating

wear layer

patterned film layer

rigid board

cork underlay



SUSTAINABILITY

The floor is one of the most image-defining factors in the interior. There are many factors involved in making the right choice. When you opt for a Therdex LVT floor, you are getting a top product in all respects in which sustainability plays a major role.

What is LVT?

LVT is a hard and brittle product based on petroleum (43%) and salt (57%). Therdex LVT floors are made flexible by the addition of bio-plasticizers. This results in a light, strong and, above all, durable LVT floor.

How sustainable is LVT?

By choosing an LVT floor, you will have a strong and stylish floor that will last a long time. In that respect, an LVT floor is therefore very durable. At Therdex, we make exclusive use of safe bio-plasticizers. These are made from sustainable soybean oil, which makes them biodegradable and harmless to people and the environment.

Delivering a top-notch product also involves caring for the environment. The environment belongs to us all. We should treat it with care. This is why we place great importance on testing and approving our products. Naturally, our products comply with the mandatory labels, but in addition, we have nonmandatory tests carried out on our products at other test centres.



HEALTH PRODUCT DECLARATION COLLABORATIVE

HPDC is an independent body that provides a record of the content of the materials. Through HPD, production reports what products are used and what risks consumers should be aware of. Therdex is in possession of 'The Health Product Declaration'.



LEADER IN ENERGY AND ENVIRONMENTAL DESIGN

LEED stands for green buildings with the best building strategies. When building projects adequately meet the conditions, they are eligible for LEED certificates. Therdex is FloorScore, EPD and HPD certified. This means that by using Therdex floors in architectural and design projects, one can qualify for LEED.



INDOOR AIR COMFORT GOLD

By meeting all requirements, a company creates a healthy indoor environment. This is what the Eurofins label stands for. Our floors meet the highest health and product standards, following criteria of world-leading building organisations such as: agBB, VOC emission class A, BREEAM Internat. Factory inspections are in accordance with DIN 18200, the VOC test in accordance with EN 16516 and the ISO 16000 series.



ENVIRONMENTAL PRODUCT DECLARATION (EPD)

EPD is a comprehensive report, which details how a product affects the environment during its life cycle. The SPD is in accordance with the standards developed by ISO. All Therdex floors are third-party verified for UL Environment EPDs.



FLOORSCORE

FloorScore tests and certifies all hard floors and floor adhesives. They ensure that the products meet the requirements for indoor air quality emissions. All Therdex floors are FloorScore certified for low VOC (Volatile Organic Compounds).



BREEAM

BREEAM is an international standard for rating buildings on sustainability and energy efficiency. Our Therdex floors can be applied to BREEAM new construction and existing buildings.



ECO+ PHTHALATE-FREE BIO-BASED CONTENT

Therdex uses an organic plasticiser based on soybean oil. This is a phthalate substitute. As a result, Therdex does not use phthalates and has therefore been awarded the Eco+ phthalate-free certificate.



ISO 9001

The ISO 9001 standard is an internationally recognised standard in the field of quality management. The standard provides guidelines to good quality management and specifies what a good system should meet.

ISO 14001 certified

ISO 4001

The ISO 4001 standard consists of internationally accepted requirements for an environmental management system. The environmental management system is used to develop an appropriate environmental policy for an organisation.

11



NEW! PREMIER SERIES

Stylish floors with an ultra-matt effect



SUPER MATT

The floor has a matte finish, which provides a contemporary look.



KNOT-FREE DESIGN

The name Premier is due to the knot-free design, like the best wood floors.

Check out the new Premier series on page 38.

COLLECTIONSTRUCTURE

Whether you choose long planks, chevron, tiles or herringbone; all our floors are available in various sizes and colours.

Therdex believes in the dynamics of unity and simplicity.

Combine and create endless possibilities with the floors from Therdex.




BASIC SERIES



Luxurious and sustainable; this is what characterises the Basic series. The perfect foundation for any interior, due to the quiet design of this rustic oak floor. Available in planks of 2 mm thick.

Type dryback

Embossing universal embossed planks 23x122 cm
Content 15 pcs. | 4,185 m²





Basic serie | 16

REGULAR¹ SERIES




The Regular¹ series is characterised by its natural and light tones. This series is available in both herringbone pattern and long planks. To give the floor a classic look, it can be combined with piping.

Type dryback

Embossing universal embossed


Dimension herringbone 15x60 cm planks 23x122 cm
Content 36 pcs. | 3,345 m² | 12 pcs. | 3,345 m²





Regular¹ series | 18

REGULAR² SERIES



The warmth of the aged oak designs in the Regular² series will give any room an atmospheric and luxurious feel. It is a distinctive floor with the atmosphere of wood and the advantages of LVT. This series is available in herringbone pattern and long planks.

Type dryback and Rigid Click Embossing universal embossed

Dimension herringbone 15x60 cm planks 23x122 cm

Content 36 pcs. | 3,345 m² | 12 pcs. | 3,345 m²





*these items are available in dryback and Rigid Click: C3020, C3030, C6032 and C6033

Regular² series | 20

TAPIS SERIES



The Tapis series consists of a diverse colour palette of expressive designs with a characteristic structure. Available in herringbone pattern and long planks. The herringbone pattern consists of refined planks of 10x40 cm. The long plank measures 23x122 cm and is therefore more robust.

Type dryback and Rigid Click Embossing registered embossed

Dimension herringbone 10x40 cm planks 23x122 cm

Content 34 pcs. | 1,404 m² | 12 pcs. | 3,345 m²





*these items are available in dryback and Rigid Click: C4010, C4030, C4050 and C4070

Tapis series | 23

PREMIUM SERIES



Combine endless possibilities with the Premium series. The format of the herringbone planks offers a range of possibilities; the width fits four times the length, allowing the floor to be laid in various structures. Various colour shades and the tactile structure gives the floor a contemporary look with a modern twist.

Type dryback and Rigid Click Embossing registered embossed

Dimension herringbone 15x60 cm planks 23x122 cm

Content 36 pcs. | 3,345 m² | 12 pcs. | 3,345 m²





*these items are available in dryback and Rigid Click: C7001, C7004, C70010 and C70040

Premium series | 24

CHEVRON SERIES



Create, combine and innovate. The Chevron series consists of calm natural tones in three different formats. A contemporary herringbone, a modern Chevron and classic long planks. All three have the same colour and structure, but different characters.

Type dryback and Rigid Click Embossing registered embossed

 Dimension
 herringbone 15x60 cm
 chevron 11x57 cm
 planks 23x122 cm

 Content
 36 pcs. | 3,345 m²
 52 pcs. | 3,397 m²
 12 pcs. | 3,345 m²






*these items are available in dryback and Rigid Click: C6041, C6042, C6541, C6542, C12041 and C12042

Chevron series | 26 Chevron series | 27

RUSTIQUE SERIES



A neutral appearance is the basis of the Rustique series. The whole creates a calm atmosphere. The wood structure is clearly visible from close by. The entire series is available in both dryback and Rigid Click.

Type dryback and Rigid Click Embossing registered embossed

Dimension herringbone 15x75 cm planks 23x152 cm Content 26 pcs. | 2,920 m² | 10 pcs. | 3,468 m²





The entire Rustique series is available in both dryback and Rigid Click.

Rustique series | 28

ORIGINAL¹ SERIES



The diverse Original¹ series consists of various structures and formats, consisting of herringbone pattern and long planks. Identical in colour and structure, but different in size.

Type dryback and Rigid Click Embossing registered embossed

Dimension herringbone 15x60 cm planks 23x152 cm

Content 36 pcs. | 3,345 m² | 10 pcs. | 3,468 m²





*these items are available in dryback and Rigid Click: C7011, C7012, C15011 and C15012

Original¹ series | 30

ORIGINAL² SERIES



The wood structure on these robust planks of the Original² series is tangibly present. This gives you an optimal experience of nature fidelity. This combination creates a powerful and atmospheric whole, and is therefore very suitable for a modern and industrial interior.

Type dryback

Embossing registered embossed

Dimension herringbone 15x75 cm planks 23x153 cm
Content 30 pcs. | 3,484 m² | 10 pcs. | 3,484 m²





Original² series | 32

XSTRALONG SERIES




Superlative class and style. The XstraLong series is characterised by its extra-long planks and extra-large herringbone floor, also known as whalebone. Characterised by distinctive colours and natural wood structures.

Type dryback

Embossing registered embossed

Dimension XL-herringbone 15x90 cm planks 23x183 cm Content 24 pcs. | 3,345 m² 8 pcs. | 3,345 m²





XstraLong series | 34

AUTHENTIC SERIES



The natural-looking Authentic series exudes rusticity. The robust design contains a lived-in look by the clearly present knots. An optimal experience of natural faithfulness.

Type Embossing dryback

registered embossed

herringbone 15x76 cm planks 23x152 cm Dimension Content 30 pcs. | 3,484 m² 10 pcs. | 3,484 m² 7561

15061




15062



7563

15063







15064

Authentic series | 36 Authentic series | 37

PREMIER SERIES



Floors with class thanks to the super matt look. The name Premier is due to the knot-free design, like the best wooden floors. The entire Premier range is available in four colours and three variants: herringbone, Chevron and long planks.

Type dryback

Embossing registered embossed

 Dimension
 herringbone 15x75 cm
 chevron 15x67 cm
 planks 24x152 cm

 Content
 26 pcs. | 2,918 m²
 32 pcs. | 3,245 m²
 10 pcs. | 3,660 m²





Premier series | 38

DESIGN SERIES



The Design series is unique due to its various designs. The original patterns and structures gives every room an exceptional character. The design of this series is surprising and innovative.


Type dryback

Embossing universal embossed

 Dimension
 planks 23x152 cm
 tiles 45x91 cm

 Content
 10 pcs. | 3,468 m²
 9 pcs. | 3,763 m²






Design series | 40

15093

STONE¹ SERIES




The Stone¹ series consists of the Amato, Rustique and Concrete collections. All have the appearance of natural stone, but diverse in colour and texture. The Amato and Concrete collections are characterised by the playful texture of the tile. The Rustique is best described as a light pattern with a calm look.

Type dryback and Rigid Click Embossing universal embossed

Amato Rustique and Concrete
Dimension tiles 91x45 cm | tiles 91x91 cm tiles 100x100 cm

Content 9 pcs. | 3,763 m² | 5 pcs. | 4,181 m² 4 pcs. | 4 m²





*these items are available in dryback and Rigid Click: C4511, C4512, C10013, C10016, C10022 and C10023 Amato tiles 91x45 cm: 4511 and 4512 | Amato tiles 91x91 cm: 9011 and 9012

Stone¹ series | 42

STONE² SERIES



Bring warmth into every space with the Stone² series. The tiles subtly connect a seamless coherence between the interior and exterior by highlighting the monochrome colour and the cubic shape. The Graphic collection creates a very playful effect to enhance the floor in any interior. The Dynamic is distinguished by the hue of the design. A special block pattern typifies the Unique collection.

Type dryback

Embossing universal embossed tiles 100x100 cm
Content 4 pcs. | 4 m²



Graphic



10031







Dynamic









Unique









Stone² series | 44



A SMART SOLUTION


A floor offers years of comfort. The focus with Therdex is on user convenience, which already starts when laying the floor.

Therdex Rigid Click floors are very easy to install, and eliminates the need for adhesives thanks to a reliable Uniclic system.

Our Loose Lay floors offer convenience and comfort through the quick and easy way of laying. Because of their weight, the planks and tiles are laid loose.

Therdex Modular floors are thus reusable, easy to (dis)assemble and replace. This makes Therdex valued among architects, designers and interior lovers looking for a distinctive and durable for project floors.

LOOSE LAY



Loose Lay offers quick, convenient installation due to its weight, allowing for loose laying of the boards and tiles. The durable LVT ensures longevity, making it perfect for commercial projects. Loose Lay floors feature a sleek matte finish for a modern touch.

Type Loose Lay

Embossing universal embossed tiles 50x50 cm
Content 8 pcs. | 2 m²

FACTS



very easy to install - easy to use

no use of adhesives required - reduced impact sound

suitable for heavy-duty use - moisture-resistant

ideal for project purposes - scratch-resistant

non-slip underlayer - maintenance-friendly

easy dismantling - prevents stripping

Tiles





















Loose Lay | 48

LOOSE LAY




Loose Lay offers quick, convenient installation due to its weight, allowing for loose laying of the boards and tiles. The durable LVT ensures longevity, making it perfect for commercial projects. Loose Lay floors feature a sleek matte finish for a modern touch.


Туре Loose Lay


Embossing universal embossed Dimension planks 20x100 cm Content 8 pcs. | 1,60 m²





LL10151







LL10152


LL10153





Loose Lay | 50 Loose Lay | 51

RIGID CLICK



Rigid Click floors use a smart installation solution, eliminating the use of glue. The planks or tiles are easily clicked together with a reliable Uniclic system. Available in tiles, herringbone, chevron and various sizes of planks.

Type Rigid Click

Embossing universal embossed tiles 45x90 cm
Content 4 pcs. | 1,638 m²

FACTS



powerful Uniclic system

very easy to lay

- no need to use glue

suitable for intensive use

- light weight

easy to move

great ease of use

reduced impact sound

- moisture-resistant

- scratch-resistant

- maintenance-friendly

prevents striping

Tiles













C10013 C1

Rigid Click | 52

RIGID CLICK



Rigid Click floors use a smart installation solution, eliminating the use of glue. The planks or tiles are easily clicked together with a reliable Uniclic system. Available in tiles, herringbone, chevron and various sizes of planks.

Type Embossing Dimension Content Rigid Click

mbossing universal and registered embossed imension planks 22x121 cm | planks 23x

planks 22x121 cm 6 pcs. | 1,617 m² | planks 23x152 cm 6 pcs. | 2,139 m² herringbone 15x75 cm 10 pcs. | 1,080 m² | chevron 15x66 cm 12 pcs. | 1,158 m² Planks C6041 C6541 C12041 C6042 C6542 C12042 C4010 C4030 C4050 C4070 C6032 C3020 C6033 C3030 C70010 C7004 C70040 C7001 C7011 C15011 C7012 C15012 C7551 C7552 C7553 C7554 C7555 C15052 C15051 C15053 C15054 C15055

Rigid Click | 54

COLLECTION LINKS


Collection overview in different variants.

The Loose Lay and Premier series have been implemented with a super matt finish.

All dryback floors come with a thickness of 2,50 mm except the Basic Series and XstraLong series.

All Rigid Click floors come with a thickness of 6,00 mm.

All Loose Lay floors come with a thickness of 5,00 mm.




SERIES	ARTICLENUMBERS	DIMENSION	SPECIFICATIONS
Regular ¹	6021 6024 6025 6026	60,96x15,24 cm	herringbone
Basic	2010 2040 2050 2060	121,90x22,80 cm	planks thickness 2,00 mm
Regular¹ XstraLong	2510 2540 2550 2560 18010 18040 18050 18060	121,90x22,80 cm	planks planks thickness 3,00 mm
AStracorig	18010 18040 18030 18060	182,90x22,80 cm	platiks triickness 3,00 mm
Tapis	4001 4003 4005 4007	40,64x10,16 cm	herringbone
Basic	4210 4230 4250 4270	121,90x22,80 cm	planks thickness 2,00 mm
Tapis Rigid Click	4010 4030 4050 4070 C4010 C4030 C4050 C4070	121,90x22,80 cm 121,30x22,20 cm	planks Rigid Click planks
Regular ²	6031 6032 6033 6034	60,96x15,24 cm	herringbone
Regular ² Rigid Click	3010 3020 3030 3040 C6032 C6033	121,90x22,80 cm 74,30x14,50 cm	planks Rigid Click herringbone
Rigid Click	C3020 C3030	121,30x22,20 cm	Rigid Click planks
Loose Lay	LL1034	100x20 cm	Loose Lay planks
Premium	7001 7004 7005 7006	60,96x15,24 cm	herringbone
Premium	70010 70040 70050 70060	121,90x22,80 cm	planks
Rigid Click Rigid Click	C7001 C7004	74,30c14,50 cm 121,30x22,20 cm	Rigid Click herringbone Rigid Click planks
Loose Lay	LL1074 LL1076	100x20 cm	Loose Lay planks
Chevron Chevron	6041 6042 6043 6044 6541 6542 6543 6544	60,96x15,24 cm 57,15x11,43 cm	herringbone chevron
Chevron	12041 12042 12043 12044	121,90x22,80 cm	planks
Rigid Click Rigid Click	C6041 C6042	74,30x14,50 cm 66,55x14,50 cm	Rigid Click herringbone Rigid Click chevron
Rigid Click	C12041 C12042	121,30x22,20 cm	Rigid Click Chevion Rigid Click planks
Loose Lay	LL10241 LL10242 LL10243 LL10244	100x20 cm	Loose Lay planks
XstraLong	9070 9080 9090 9100	91,44x15,24 cm	herringbone thickness 3,00 mm
XstraLong	18070 18080 18090 18100	182,90x22,80 cm	planks thickness 3,00 mm
Rustique Rustique	7551 7552 7553 7554 7555 15051 15052 15053 15054 15055	74,90x15,00 cm 151,70x22,80 cm	herringbone planks
Rigid Click	C7551 C7552 C7553 C7554 C7555	74,30x14,50 cm	Rigid Click herringbone
Rigid Click Loose Lay	C15051 C15052 C15053 C15054 C15055 LL10151 LL10152 LL10153 LL10154 LL10155	151,80x23,60 cm 100x20 cm	Rigid Click planks Loose Lay planks
Loose Lay	LE10131 LE10132 LE10133 LE10134 LE10133	IOOXZO CIII	Loose Lay planks
Authentic	7561 7562 7563 7564	76,20x15,24 cm	herringbone
Authentic	15061 15062 15063 15064	152,40x22,80 cm	planks
Original ¹	7011 7012 7013 7014	60,96x15,24 cm	herringbone
Original ¹	15011 15012 15013 15014	151,70x22,80 cm	planks
Rigid Click Rigid Click	C7011 C7012	74,30x14,50 cm 151,80x23,60 cm	Rigid Click herringbone Rigid Click planks
3		.,	
Original ²	7541 7542 7543 7544 7545 7546	76,20x15,24 cm	herringbone
Original ²	15041 15042 15043 15044 15045 15046	152,40x22,80 cm	planks
Premier	7581 7582 7583 7584	74,93x14,98 cm	herringbone
Premier	6581 6582 6583 6584	66,55x15,24 cm	chevron
Premier	15081 15082 15083 15084	151,68x24,13 cm	planks
Stone ¹	9011 9012	91,44x91,44 cm	tiles
Stone ¹	4511 4512 64511 64512	91,44x45,72 cm	tiles
Rigid Click	C4511 C4512	90x45 cm	Rigid Click tiles
Stone ¹	10013 10016	100x100 cm	tiles
Rigid Click	C10013 C10016	90x45 cm	Rigid Click tiles
Stone ¹	10021 10022 10023 10024	100x100 cm	tiles
Rigid Click	C10022 C10023	90x45 cm	Rigid Click tiles
Loose Lay	LL5022 LL5023 LL5024 LL5025	50x50 cm	Loose Lay tiles
Stone ²	10041 10042 10044	100x100 cm	tiles
Loose Lay	LL5041 LL5042 LL5044	50x50 cm	Loose Lay tiles
Stone ²	10051110052 110052	100v100 cm	tilos
Stone ² Loose Lay	10051 10052 10053 LL5051 LL5052 LL5053	100x100 cm 50x50 cm	tiles Loose Lay tiles

57

INSPIRATION

Therdex in practice

Be inspired by Therdex in practice. From atmospheric residential homes to business projects, each has its own distinctive characteristics.









HOME INSPIRATION

Floor

6042

<u></u> therdex






























HOME INSPIRATION <u></u> therdex Floor 6032































Floor






















HOME INSPIRATION

Floor 7005 and 70050



<u></u> therdex































HOME INSPIRATION
Realized by CentaineCreations

Floor 70060













TECHNICALSPECIFICATIONS

View all of the technical specifications by using the QR code below.



CONTACT

Are you looking for more information about our floors or our service? Our team is ready to answer your questions.



+31 (0)38 385 73 73




info@therdex.nl



Sasdijk 14 8281BM Genemuiden Netherlands







Therdex | Sasdijk 14 | 8281 BM Genemuiden | The Netherlands +31 (0)38 385 73 73 | info@therdex.nl | www.therdex.com